# Thonet furniture, 1830-1953 : an exhibition at the Museum of Modern Art, New York

Author

Thonet Industries

Date 1953

Publisher [publisher not identified]

Exhibition URL

# www.moma.org/calendar/exhibitions/1722

The Museum of Modern Art's exhibition history from our founding in 1929 to the present—is available online. It includes exhibition catalogues, primary documents, installation views, and an index of participating artists.

© 2017 The Museum of Modern Art



ARCHIVE

replace i folder

LIBRARY THE MUSEUM OF MODERN ART T H O N E T furniture 1830-1953

an exhibition at the Museum of Modern Art, New York

This filmstrip is presented by Thonet Industries, Inc. on the occasion of their 100th anniversary in America

1853-1953

the statistical at the statistical to make the statistic to an

. All a read and the provident of the state of the state

AIY, YIL

Anhive MMA 539

# THONET FURNITURE

An Exhibition at the Museum of Modern Art, New York

This filmstrip consists of 41 frames, of which 8 are from printed sources and 33 are actual views of the exhibition and of furniture featured in the exhibition.

The filmstrip is divided into four main sections: VIEWS OF THE EXHIBITION, BENTWOOD FURNITURE, TUBULAR STEEL FURNITURE, and MOLDED PLYWOOD FURNITURE.

Below is a detailed list with appropriate data for each frame. Fuller commentary will be found in the accompanying manual.

VIEWS OF THE EXHIBITION

Five views of the exhibition as installed at the Museum of Modern Art (Frames 4-8)

BENTWOOD

Title	(Fram	e 9)
Bentwood spiral made from a tree trunk dramatically demonstrate the possibilities of the bentwood process	(Frame	10)
First Bent Veneer Chair, 1836-1840. Owned by Mrs. F. Thonet, Vienna	(Frame	11)
Bentwood Parquet Floor, Liechtenstein Palace, Vienna, 1843-49	(Frame	12)
Bentwood Chair, Liechtenstein Palace, Vienna, 1843-49	(Frame	13)
Café Daum Bent Veneer Chair, 1850. Owned by Mrs. F. Thonet, Vienna	(Frame	14)
Bentwood Furniture Production U.L. Beech trunks are cut into boards U.R. Wooden poles are steamed before bending L.L. Steamed poles are strapped into iron molds L.R. Weaving of cane seats and backs	(Frame	15)
"Vienna" Bentwood Side Chair, 1876 model - 1953 model. Collection, The Museum of Modern Art	(Frame	16)
Bentwood Rocking Chair, 1860. Owned by Miss Robbie M. Griggs, Birmingham, Alabama	(Frame	17)
Pictures illustrating the popularity and wide-spread acceptance of the bentwood chair	(Frame	18)
Bentwood Arm Chair, c. 1890. Owned by Thonet Industries, Inc.	(Frame	19)
Thonet Bentwood Furniture exhibited ath the Crystal Palace Exhibition, London, 1851	Frame	20)

## 

化磷酸盐 医黄疸 医水杨 化乙酸盐 化二乙酰胺 网络小小小小小小小

enden Forberg alle en le cher an estat d'ite armiter l'etre i elle de la moltre de la companya elle de la companya de la comp

n i forti i na stali interiore francia e calcular defenda an que constante da France ao - Ni con anticas contratorior recordo e constante de constante de constante de constante de constante

a, are actual stort of skow as talted 19 p with a spare 2 stort da 4 a ke 4 a freed in 19 a a st a, are actual stort and a stort at the system "good and a press in actual a data data and actual and actual and a free bar and a the stort at the

Palow (a e delation lint with all army issee a second or as an issient condition and an a first will be found in Sic economical as marked.

CALL STATE OF THE STATE OF THE STATE

Alve yoever of the exiting as installed at the blocker of forein Alt

 A second sec second sec

Contraction of the first standard the second stand of the second standard standard standard standard standard s

Stress Pret Street, Courtered Streiderig (and a streider and the second street and the second s

Dentrood Through Flager Etechicantes Market Manager 199-49 (Read of )

Bunchmod Claric, Liet Mithadd F. Fallense, Fladestak 7-19

Mini Boun Heat, Veranov Miniko Kovitak provide kou let enderfi bermane ne 150 g. Vienne Konto Kovitak (Kovitak) g. second g. second heat ender Kovitak (Kovitak) g. second g. second g. d. Statisticak Kovitak) g. second g. second g. second g. d. Statisticak Kovitak) g. Second g. Statisticak (Kovitak) g. Statisticak Kovitak) g. Statisticak (Kovitak) g. Statisticak) g. Statisticak Kovitak) g. Statisticak (Kovitak) g. Statisticak) g. Statisticak Kovitak) g. Statisticak) g. Statisticak (Kovitak) g. Statisticak) g. Statisticak Kovitak) g. Statisticak) g. Statisticak (Kovitak) g. Statisticak) g. Statisti

The second product of the second product of

Lie Verwood of prospecta to be a training a set of the first of the first of the first of the first of the first

1 BOOL . Inform 2001 anter to shift becart on

and a fallen market of the second second state and the second of the second of the second of the

southered Particles ("with, 1960, Ornal or Miss Rabble M. Ornage, Standard an Alastonic adare " Ara (1-) and " "". and " " ". and " ".

Platinges 411 at a there were built protect and an an an and a second descent of the second second

Thouse Beataood Fornithing envisited ats the Organist Pelace

Single Piece Bentwood Chair, c. 1873	(Frame 21.)
3 Production Phases of Experimental Oak Chair: left to right a. Flat board, band sawed b. First bending operation forming the back c. Second bending operation forming the seat d. Finished chair	(Frame 22)
Art Nouveau Eëntwood Interior, Exposition For Decorative Arts Turin, 1902	(Frame 23)
Bentwood Arm Chair, 1870. Collection, The Museum of Modern Ar	t (Frame 24)
TUBULAR STEEL	
Title	(Frame 25)
Section of Marcel Breuer's Tubular Steel Chair illustrating a new application of an industrial material	(Frame 26)
Marcel Breuer; Dining Room, Piscator Apartment, Berlin, 1927	(Frame 27)
Ludwig Mies van der Rohe: Living-Dining Area, Tugendhat House Brno, Czechoslovakia, 1930	(Frame 28)
Le Corbusier and Pierre Jeanneret: Living Room, Church House, Ville d'Avray, 1928-29	(Frame 29)
First Tubular Metal Chair. Marcel Breuer, 1925. Collection, The Museum of Modern Art	(Frame 30)
Resilient Tubular Steel Cantilever Chair. Ludwig Mies van der Rohe, 1926. Collection, The Museum of Modern Art	(Frame 31)
Tubular Steel Cantilever Chair. Marcel Breuer, 1928. Collection, The Museum of Modern Art	(Frame 32)
Adjustable Recliner. Le Corbusier, Pierre Jeanneret and Charlotte Perriand, 1927. Collection, The Museum of Modern Ar	t (Frame 33)
Adjustable Recliner (View showing recliner in another positio	n)(Frame 34)
Revolving Leather Chair. Le Corbusier, Pierre Jeanneret and Charlotte Perriand, 1927. Owned by Thonet Industries, Inc.	(Frame 35)
MOLDED PLYWOOD	
Title	(Frame 36)
Molded Plywood shapes demonstrate the inherent flexibility of a traditionally rigid material	(Frame 37)
Adjustable Lounge Chair. Ilmari Tapiovaara, 1929. Owned by Thonet Industries, Inc.	(Frame 38)
Molded Plywood Arm Chair. Joe Adkinson, 1952. Owned by Thonet Industries, Inc.	(Frame 39)

Citizensi and Loostand entry states i

(IS energy)

shed eld adient's operation forming the back

an Sameran and an stand A straight support. In

Thurs boundary ...

A \* Set Boursey Bistybell Taterions-Etgendition for Secondaria (2009) Destauras, 1908

(is easily) this gravity hereing the entry of the construction of the second state of the second second second

THE P. LEWIS CO.

(its aners) and a

Mandatad an Managa Structure Manage Strept Carter (1) per explant a
Manage Structure (1) and an advected anter (2)

A Teleformental and Allebraic default must be and provide all and the construction of the con

Ref. E. e. Stant. Opnest Stores Starge Sates. Denets, 1980.
Getter Bar, Tes Starge, M. Holden Art.

V - skalingtkala isatitkarusta Guroukiaras Plaras Jaquiaras not Duras Guruloved Starting, 1997. Collegebion, 2na Harvak of John and the Stare 30)

(A mana) and the point and the set of the se

Normagine Contract Contracts of Contract on Contract States States and Contraction States and 1997. Contract by Themes Enduginities. Inc. (Press 33)

ODGWY POWER Control

(de amara)

Milded "Riverod alages demonstrate the Inhereof flexidity

of a traditionally right material

Adjustable Lounge Chain. Haari Tatiovana. 129. Ouned by

Mailed Plymod Are Marce, Joe Adlinger, 1972, Oged by Taxast Industries, Inc.

#### THONET FURNITURE

Frames 1-8: Introduction and Installation Views of the Exhibition

The story of Thonet furniture (presented here on the occasion of the firm's 100th anniversary in the United States) reads like a chapter in the history of industrialization. In the early part of the 19th century, Michael Thonet, a small cabinet-maker and joiner, well trained in his craft, experimented in his Rhenish workshop with new methods to produce a chair which would be lighter, more durable and at the same time cheaper to make than the handmade products of his trade. In 1830, at the age of 23, he began making chair parts and soon complete chairs of bundles of thick veneer strips, which were saturated with glue and exposed to heat in wooden molds. This original method, which was later replaced by an improved process of bending solid wood, preceded Alvar Aalto's bent plywood furniture of the 1930s by one hundred years.

In 1842 Thonet moved to Austria. Keenly aware of the originality and possibilities of his invention, he pursued his idea, in partnership with his five sons, through a lifetime of unceasing labor and planning. When he died in 1871 at the age of 75, the one-time small cabinet-maker left behind an industrial empire of factories and saw mills, vast holdings of forests and a network of company showrooms in 25 capital cities. His invention led to an entire new industry. After the expiration of his original patents in 1869, other companies began producing the same furniture. Together, in the first decade of the 20th century, the industry employed more than 35,000 people.

In many respects the Thonet story reads like the Ford story in the automobile industry. Part of its success lies in industrialization through division of labor, the professional craftsman being replaced by untrained hands working in an assembly line (see Frame no. 15), through control of raw materials essential to industry-factories were placed near beechwood forests, for which exploitation rights had been secured-and through a world-wide sales organization.

the second

. 3

# 

wer entras he of hel metresurt all sealand destrate for al another the theory of a supervise the second structure 

The products-an elaborate line of furniture, particularly chairs-were shipped around the globe in millions of pieces and installed in every place where people sat down for pleasure or work. Dismantled for easy shipping and equipped with screws for quick assembly, this furniture led straight to the serial production of the 20th century. It not only accepted but turned to positive advantage the limitations of machine production, which for good results asks for anonymous, simple shapes devoid of the craftsman's rich and intricate detail. There is elegance and refinement in many of the pieces and an inventiveness in the use of material and production methods which have not been surpassed.

The great French architect Le Corbusier furnished his Pavillon de l'Esprit Nouveau at the 1925 Exposition des Arts Decoratifs in Paris with standardized Thonet chairs which were designed around 1870 (Frame no. 24). Le Corbusier explained his choice when he said "We have introduced the humble Thonet chair of steamed wood, certainly the most common as well as the least costly of chairs. And we believe that this chair, whose millions of representatives are used on the Continent and in the two Americas, possesses nobility." Siegfried Giedion in his book "Mechanization Takes Command" terms them "form purified by serial production."

It was also in 1925 that a new idea revolutionized furniture design: The invention of the tubular steel chair, for which Thonet Brothers soon obtained major production rights. The story goes that Marcel Breuer, then a master at the Bauhaus in Dessau, envisioned the use of chromium-plated tubular steel for metal furniture while he was riding a bicycle. It occurred to him that the same bent steel which formed his handle bars could be fashioned into continuous loops to form the supporting frames of chairs and tables. In 1925 he designed and built the first chair entirely of chrome-plated tubular steel (Frame no.30).

Another revolutionary step in the development of modern furniture was the tubular steel cantilever chair. One of the first models, a Breuer design of 1928,

af come much and by any second and the second was the second of the second states and the and the second second second as the second and the second state of the state of the second state of the second state of the second state of the second state and a state of a second to the second to the second of a second of a state of a state of the second of a second and the second and an and the second of the set of the second state of the second state of the second state being an interesting and the second way of the second state and the second state being the second second second second second second dimption for the shifter out the terminal of food the second story off to elementary live aluge of a liver, i and and redered the set of the set of the set of the submeets reductive and while we exactly of a built a cost, and then define rected's power? these deals to be families to the second blance of a propose and business To define fare with end flow on second deer, and the prival stars have dethe intervention to a colling manife rule alor dant evented by Low . Anothe and the Contribution is the fire fire Alexinetty and the fire of the state of the s stations word and arrest "increase and proceed model for a "formal station is the balting and the second for a second the second for a second the second the second second to the

ene 1 . . .

. . . .

the states and set of the set of the states of the set of the set

to easy high in ship when a new idea resolutions and through the ferious for the second to a track to a track to a bold does not the second to a determine the state of the second to a second to a state of a second to a second to a state of the second of the second to a state of the second to a s

Arabar revolutionary at y la sic developing of an are the two are to the two lar

eventually became the prototype for thousands of modifications throughout the world. (Frame no. 32). Between 1925 and 1929, the greatest architects of the modern movement, Mies van der Rohe, Le Corbusier, Marcel Breuer and others, developed tubular steel furniture which we consider today, together with their architecture, as the classic examples of new spatial relationships for a new industrial and scientific society. Thonet Brothers, who were by then an international organization with factories in Germany and France as well as the former Austrian territories, produced all of these designs and became the commercial exponents of a new concept of beauty.

Recent additions to the furniture produced by the American Thonet Industries reflect the firm's pioneer spirit. Knock-down plywood and leather chairs by Ilmari Tapiovaara and molded plywood chairs by Joe Adkinson (Frames no. 38 and 39) indicate the endless possibilities open to the inventive mind in designs which are as different from the rigid precision of the metal pieces of the 1920s as they are from the sinuous interlacings of the earlier bentwood chairs.

# FIRST BENT VENEER CHAIR, 1836-1840.

### Frames 9-11

Michael Thonet, born in 1796 in the small town of Boppard on the Bhine, learned the carpenter's trade and in 1819, at the age of 23, opened his own business as joiner and cabinet maker. It was the period of German adaptation of French Empire, called Biedermeier in Germany, and Thonet's furniture in the Biedermeier style was sold along the Rhine and in the nearby Mosel valley.

Experiments to make this furniture lighter, yet stronger and more portable, began in 1830. Between 1830 and 1840 Thonet succeeded in making chair parts and soon entire chairs by bending and heating thick bundles of veneers, saturated with glue, in prepared wooden molds. His first experiments were the curved top and center bars of chair backs, traditionally carved from solid wood and covered with

and draw the and a first and a second se vorld. (Prem no. 22). Interes 1927 and 1928, Ma gradient their devices at the and the second veloped thrules stort furniture this we consider todays together with their "We difference, as the classic everyles of new southal relationships for a series of dustrial and relation activity. There activity the version who were by then as fater-Australia, here thates, evening all of these designs an and the set of the set ter and some for the local flight, sold and a description do when about the and the second second second for a construction of the second second second second second second second second . The shirts of share weather areas by the which are as different from the rigid prediction of the metal places of the lines. and the second stand in the second is the second of the second second second second second second second second the state of a sign will be will be for about a recordence and sources and the source of any distance dependent and the sources . The start of start court of the strenged at the transfer taking the stringed weither server where end of box orders are goods flow new elight ne, an equarital secondary parts and energical extrategers a sub-other of education pair and the transmission of the parts of the course course of the second of the second of the second of the second in the second we have been added and the second second second the second s alise, in prepared wereast to the second for the second form wells would all a start and all the second and a start with a second to second formation and second formation and second and s aund .... attre distra by bending and heating thick bundles of veneers, saturated with

a thin sheet of fine veneer. The new discovery made these same shapes much lighter, more durable and relatively cheap, since the core consisted of strips of ordinary lumber. Costly veneers were used on the outside only.

Realizing the importance of his invention, Thonet thought to protect it by taking out patent rights in various contries. Investors were found and with their help patents acquired in France, England and Belgium. Thonet planned to finance large scale production at home through the sale of foreign patents, but was unable to do so.

At the time this chair was produced (Frame no. 11) Thonet was largely absorbed in working out his technique, which he also applied to the curved head and foot boards of beds and sofas. There are some unconventional curls back of the top support, but nothing else in the appearance of the chair's upper part distinguishes it from other chairs of the same period. The extraordinary technical innovation however, caused a strange transformation of its lower part. The chair now sits on four legs which do not end at the floor but spring up to join each other. As the bending methods were further developed, an entirely new shape gradually emerged, having no relationship to forms and decorative schemes of earlier periods, but suggesting new concepts of beauty genuinely of our own time.

# CAFE DAUM BENT VENEER CHAIR, 1850

Frames 12-14

In 1841 Thonet met Prince Metternich, then Europe's mightiest statesman. The prince, visiting his Rhenish estates, saw some of the new furniture at a local fair, recognized its potentialities and argued that Thonet would never fully realize his invention within the narrow confines of his home town. Vienna was the place for a man of his caliber. He offered his sponsorship at the Imperial Court, even a free ride to Vienna in the coach of the diplomatic courier. Thonet accepted and in 1842 went to Austria, where patent rights had already been granted

unde eleven verstaard, gevoerndergerente dezervisgendig traeperi is het dezerver nacht. De sienen schitte e Liegenzen verstaard, gevoerndergerente dezervisgen officiele statiet verste of dezervisgerente (nothijkk

4.1 1

and the second of the second of the second of the second

- 1 1 . Con 1

1

.

and a second of formalization of a clader out that we have a state a class with a state of the

server's . With out the transfer the units of \$2.2000, the day, with a page of the Realizing the importance of his interaction. Then it thought to protect it by failing the second second second and the second seco

art remain, char to the presence and of for rearring to get reach it anythe of the form of the domain of the sume period of the reactancies began into the reaction of the react course of the sume period of the reactancies because the reaction of the react course of the reaction of the reactancies of the reactance of the reaction of the react courses of the reaction of the reactance of the reactance of the reaction of the reaction of the reaction of the reactance of the reactance of the reactance of the reaction of the reaction of the reaction of the reaction of the reactance of the reacta

Net 1994 several and an and a several and an and raily new shape gradually energed,

buring on relationeds to forme and descriptive sciences of seriler periods, but

seals and the concepts of boanty securinely of our can time.

the light second the Branch states at the a transfer to the loss of the loss of the loss of the

. The the dependences were and the case and the dependences and the second beauties of were

"of more in the out who been have a few association the additional additional and a that

weider his accounts withing the account cout to its have bown. Mintte an state his account for another. We offered the approximation of the set is a set of a state of the another. We offered the approximation of the set is the state of the bouldeave in the account of the displacetic except. Its

realize his invention within the nerrow confines of his how foun. Within was

the place for a man of the cellber. He offered his sponsorehip at the Imperial

ours even a tree ride to Vience in the coach of the diplomatic courter. The

to him. He was well received and soon a "privilege" gave him the right to "bend by chemo-mechanical means any, even the most brittle, types of wood into any form and curve desired."

The German creditors who had financed his foreign patents meanwhile dispossessed him in an effort to recover their losses. Thonet moved his family to Vienna and started afresh. For four years he and four of his sons were under contract to a Viennese cabinet maker, commissioned to design and manufacture parquet floors and furniture used in remodeling the huge Liechtenstein Palais (for pictures of Thonet's bentwood parquets and chairs in the Liechtenstein Palais, executed in the style of the second Rococo, see Frames no. 12 and 13).

This chair (Frame no. 14) was one of the first designs produced after Thonet and his sons opened their own workshop in 1849. It drew much public attention when it was exhibited in 1850 together with some of the intricate parquet designs. Viennese newspapers reported on the new invention; sponsors in high places praised its qualities; but the greatest commercial success was the first large order which came from Madame Daum, owner of a famous café. Café Daum was the first public place to be furnished with bentwood chairs (made especially from the finest mahogany and in use until 1876, when they were replaced by new Thonet designs).

This chair was manufactured by bending four layers of wood for the back support and five layers for the seat frame. These wood strips were first softened in boiling water, then bent in prepared molds and dried. The individual bent veneer shapes were then glued together. In its appearance, the chair differs radically from the early German as well as the eclectic but remarkably handsome and fluid Liechtenstein designs (see Frames no. 11 and 13). Its shape, rather than conforming to the design principles of a past period, seems to be born out of the material. It rises lightly from the ground and follows naturally the bending lines of the wood grain. The tops of the front legs still show traces of conventional

to one. as was soil received and soon a "privilege" spare him the right to "head by abspr-spointered means why, even bie man's britikie, types of work into any form had ourve decired."

weight of house and and on any the said that a construction of a loss and said and said a she are accessive on the second and the second and the second and the second second second second second second second and enabled alleged . For four plants he and four of his sons very miller ereriet and the plantane starsay showers are particulture executions ended and where the first are more than a consist that a money of fuller of that where while each i as a the the of a conversion and a set of the device in the strong start of the A . Against of Street and what the feet described and set the start what is a f The second strates a second could ender every the teacher of book states and book and the I should be an address of the second second to a second second second second second second second second second and the substant of the second of the second states of the second states and m.C. 1999 - 1 public of gos to to frankland with the short anticity from the it is a state of the set of the s a tray a real wards and some address to have a real of the solar factors of and a set of a second register should be a set at the second set of the second second second set of the second CONTRACTOR AND THE STREET STRE The second second second second and second a second second second second second second second menter ding family that see the property which and drank the third and the second the fact The design was service and a graduate from the form of which we have the first on a second second second second and the second second second second the second s The state of the s A construction of the second process of the second process of the second process and a second process of and t with the country of the entropy of the community of the transmit of the country the set work inder inder in inter a star of a single of the star of the Star Star Star Star Star Star (1) in more as the configuration and the web set of the web carving, eliminated in later designs. The chair as a whole is already refined to the essential elements: a seat held by four legs, the two in the rear being joined to make a continuous curved back support. The two curlicues which face each other within the chair back, while bracing the curved rail, supply a decorative element in a simple and unaffected manner.

"VIENNA" BENTWOOD SIDE CHAIR, 1876 MODEL -- 1953 MODEL.

Frames 15-16

The first Thonet showroom was opened in Vienna in 1852. Workshops were moved to larger quarters to house 42 workmen and a steam engine to drive the machines which until then had been operated by hand. In 1853 Michael Thonet transferred his business to his five sons, retaining leadership in Thonet Brothers.

The first large scale factory was opened in 1857 in Koritschan, a small country town in Moravia, abundant in beechwood forests and with a local farm population to provide cheap labor. It was here that full industrialization was introduced. Professional cabinet makers were no longer employed. Labor was divided between men to do heavy work and youthful helpers, mostly girls, for sanding, polishing, weaving and packing. The weaving of care seats and backs was later transformed into a separate home industry (see Frame no. 15).

More machines were installed (all invented and built by the Thonets themselves), and production continuously improved: furniture parts were no longer glued, but screwed together, so that they could be shipped demounted at great space savings. An important step in the conquest of world markets was an invention enabling even the most complex curves to be bent from solid wood. From then on countries in tropical zones became potential customers, since the sections no longer made of layers of bent veneers glued together, could not separate under the influence of heat and moisture.

if it is adopted wear features a new of it is ball to the fact that is a starly in the it is a character to that an exercise of the construction from the form the form the strengther to that an exercise and the construction from the form the form the strengther to the two locates and the fact of the construction form the form the decision of the two locates are the fact of the construction form the form the decision of the two locates are the fact of the construction form the form the decision of the construction of the fact of the fact of the construction form the form the decision of the fact of the fact of the fact of the fact of the construction of the fact the fact of the

in a star Dealer The star a second

A small side chair was added to the firm's line in 1859 in an effort to introduce a particularly simple, inexpensive chair. The two pieces shown here (Frame no. 16% are the 1876 version of this chair (eventually to become the best known ". of all Thonet products) and the same chair as it is still produced today by Thonet Industries. The important innovation of the original 1859 design was the circular bent seat frame, supported by a ring brace. By 1900 this round seat was used in connection with about one hundred different back designs. Customers were also offered the choice of four different leg braces, of which two are presented here. However this chair is more than a rational assembly of standardized parts. The new process of bending wood was originally meant to reduce the weight of solid carved parts of a traditional design. But in its step by step development, a chair design emerged for which no prototype existed-a design that is predominantly open and linear. Known as the Vienna chair, eventually it became the firm's main product. By 1900 the bentwood industry had produced an estimated 40 million Vienna chairs, a figure which by this time has grown to well over 100 million.

# EENTWOOD ROCKING CHAIR, 1860. (Frame no. 17)

Frames 17-18

Eocking chairs are said to have originated in Lancashire around 1750. At about the same time, Benjamin Franklin produced a rocking chair for which he used iron rockers. During the late 18th century the Windsor rocker became a fixture of the American home. It may be possible that its popularity here reflected habits of greater informality developed by the colonists in contrast to the more formalized patterns of European living.

The first bentwood rocking chair was produced in 1860. In Austria up to that time only heavy, upholstery-padded iron rocking chairs were known. Their unwieldiness and high prices did not encourage wide distribution. Even the new, lighter bentwood rocking chair was slow in finding a market. Overseas export A coupl olde chair was edged to the firmin line in 1839 in an effort to intro-

frame supplies and the second of the chair. The two please show here ( or and no. 161 are the 1876 version of this chair (symmitty to become the best known

exception best seat freed, and anti-a stag braces . If 1900 this round seat was used in connection with room the bundred different tech designs. Culturers also offered the choice of four different leg brobes, of shieb the dre press Auto. However this disting the stars that a religious secondly of standard that such

the arr process of leixing wood was originally means to reduce the wight of sol-bit carried parts deviational design. But is its dep by step development. entitied for which to protobyle existed a douter that is product ingetly open and liness - shore as one Vience Chair, evolually it becaue the first's win product: "he-1900 ple bookedd" (ministry Def produced in estimated 40 militan Vience opentric a figure phick by this time nee group to well over 100.

During the 1010 18th contury the "find to, rooms becaus a fixture of the American have "It way he constitue that the popularity pero cultached habits of (restor informality date lood by the coloristics is contract to the sore formilland

violdiness and tigh prices did not encourage wide distribution. Even the new,

eventually pushed production-it was the ideal seat for hot countries. In the first decade of the 20th century, the entire industry's output grew eventually to about 100,000 pieces annually (see Frame no. 18 for popularity of bentwood rocking chair).

But it was more than its weight which distinguished the new bentwood rocking chair from its forerunners. These earlier pieces were ordinary chairs whose four legs were planted on two curved pieces of wood (cradles worked on the same principle centuries before anybody thought of transferring the idea to chairs). The design of the bentwood rocking chair was developed from the bending processa double frame, shooting forward in two vigorous arcs and bending backward like the runners of a sleigh, an element which fifty years later appears in the resilient cantilever chair of Mies van der Rohe (see Frame no. 31).

The chair's semi-horizontal shape, which requires longer rails, produces a racy, sleek appearance. No other bentwood chair type allows as much freedom and inventiveness in the play of bent rails-in fact, none shows as clearly as the many rocker variations, including the design of a rocking sofa with adjustable back, the emergence of a new type of decoration which, similar to Art Nouveau design, was not applied as an afterthought, but became a linear animation of the object itself. The curves and spiral flourishes which fill the spaces between the seat and the long sliding rocker base-excellent technical solutions of bracing and frame support-the curled up end pieces of the back frame, the pulling apart of two parallel lines into seat frame and arm rest, all indicate a highly sophisticated, imaginative interpenetration of practical and decorative elements.

BENTWOOD ARM CHAIR, c. 1890

Frame no. 19-23

1862 saw the opening of the second factory in Bistritz in Moravia, after Koritschan had proven too small and its surrounding forests unable to yield

Be i a state that there is a to be a property with a state of the a brand the second to the second state of the second state of the second second second state in the second state The second s and which were the solution of the and the state of the the there the the second broad and the state weather way and while the sector which is the sector we depend on a sector and the sector was such that the The second second second states in the work of the second second second second second second second second second servers of which with a state of the first state which are listed as a with the solution of - Supering and and have been also a compary and at income a second to the second of the second of the second s the second of a structure module processing and a processing the second as the second of the second of the the set of scorelyic the world used with a bound of the base being to there we wild be that the The state's non-construction of the property of the state and a second with the second size with a with the with the second and wante of a second size should the sources and and a succes carry often at after and the system as a second to read the when and an all and on a time main price or a to approve and go that all considering we have and any the stands will be the set in neiting with neiting the state of a local state of the state of the state analysis apprenditions interface apprend a manoral duri attractive as the beilding. Her sat deal a part month and the set of the matrix therein the the marries of the set dens and geographical standaring testances and beaustance to the privite that all the This Belowig to excitential country then all the second the or has been all our contract and second the first plan and a solution the stars and and the stars of the second second second second second second second -idelicon vinctica incontentario facilizzational to pold-trianstanti ani a docto destructione in a second SEAT OTH MEN OFFICE OF 1890 A AND OF STREET

atte in 19.000 in 1997daste et visotos" become due "19 undaste det von titu to the list of a second conduction and has lister out one out that manual that

sufficient quantities of Carpathian beech. The new factory was almost entirely devoted to manufacturing "Vienna" chairs.

At the same time the Thonets began producing a great variety of goods other than furniture. Their catalogs soon included hat stands, wall brackets, picture frames and easels, walking sticks, wash stands, hoops, baby chairs and cribs. It was also here that a new line of "Phantasie" furniture was developed, of which this chair is a good example (Frame no. 19). Its proportions are of a generosity similar to that of the arm chair of 1870 (see Frame no. 24); its design, however, is purposely intricate and rich. (For additional examples see Frames no. 20, 21, 22).

Art Nouveau design elements, like the long, sensitive curves, and the flowing, endless interplay of lines, were intrinsic parts of bentwood design. Certain furniture pieces and entire interiors (see Frame no. 23) tried to adapt bentwood to Art Nouveau as the style of the period. However, Art Nouveau as a style seemed to have by-passed the use of bentwood for its purposes, and, possibly for the sake of greater power of expression and infinite refinement, preferred the traditional methods of carving from solid wood its undulating stalks and whip-lash curves.

# BENTWOOD ARM CHAIR, 1870.

Frame 24

Thonet's acute production problem was the supply of wood for their spreading factories. Only by moving on to Hungary and Galizia and later to Poland and Russia could sufficient supplies be obtained. Saw mills were erected on the estates of the princely owners of large forest lands, now so far removed from the factories that material had to be shipped by rail.

A tremendous variety of designs poured forth from the Thonets as well as their

and the second state of the second and the state and the state to a contract and the standard standard and A . The engine of the start estad under all the second and the second Mandan Stranger, & Longer Stranger sources and by these is the day of the be arvoted to manufact 10 18 A the state of the orbities bear for the state of the state transs and several , welking boligher, weak grands, booge, baby chairs and or the

··· · · · · · · It was also here that a new line at the ster furniture was developed, of which 4.19 1 1 1 1 2 2 1 1 1 1 tragent est aller on events drawing to the state and encomplicas are of a geleroeity 2 - 2 . - 3 tine of the are chain assisting (an frame no. ei)) the besign, how--

1 2 Ban 3

11 12 14 is stood to Art Sources as the style of the pariod. Beaver, Art Sources as a 1 21.0 the style second to here or passed the use of hertwood for its purposes, and, Sec. 5.3 1. 18 . The P. 1 the set in the set based the traditional extincts of earving from solid wood its undulating the boot and and and address the state of the

NBI UILARD ANA REVIEWING

P

-

factories that material bad to be abiged by real, which at

competitors. Many of these designs possess great beauty and ingenuity, but none of them measures up to this chair of c. 1870, which combines lightness of construction with elegance of form,-nor do they achieve this degree of reduction to essentials. It is difficult to realize that this handsome, straightforward design could be the result of industrialization misued at that time (the height of Victorian prosperity) to swamp Europe with an avalanche of simulated handicrafts, of imitation material and imitation forms, produced by machine.

This arm chair (Frame no. 24) is unusually well proportioned: There is a generous seat on sturdy but well tapered legs, and a sweeping curve which runs over the back from one edge of the seat to the other, forms the arms. Its simplicity and directness foreshadow the open-cage shapes of the later tubular steel furniture; its refinement is heightened through the tapering lines possible in wood.

It was this standardized chair, then in continuous production for over 50 years, which Le Corbusier and Pierre Jeanneret selected for their famous Pavillon de L'Esprit Nouveau at the 1925 Exposition des Arts Decoratifs in Paris.

## FIRST TUBULAR METAL CHAIR. MARCEL BREUER, 1925

Frames 25-30

to a stal

. . 1

· Jut

Sec. 3

1. 0

27 1 10

· 55

the fait

Thonet Brothers in the early twenties merged with a group of their competitors and the new firm operated factories in Germany and France as well as in the countries of the former Austrian territory.

Michael Thonet was no longer the single authority who chose and created designs, the greatest merit of which was the anonymous simplicity and material economy of serial products. Outsiders entered the design field, particularly architects in search of furniture to fit their new houses. Curious about untraditional material, they brought to furniture design the same spatial concepts from which their new architecture derived. (See Frames no. 27, 28, 29).

AND REAL AND AND AND AND AND THEIR

and the first the state of the state

all' al sa little s

· · · · · ·

et is safe

and the state of the state

24 8 22

A revolutionary invention in furniture occurred in Germany. The architect Marcel Breuer, then a young master at the Bauhaus in Dessau, conceived the idea of bending tubular steel into continuous loops to form the frames for chairs and tables. The idea came to him while riding his bicycle, and in 1925 Breuer constructed the first tubular steel chair. (Frame no. 30).

It is a complicated maze of interlaced steelbars, suggesting the cage-like metal skeleton of a modern house. The frame is articulated by tautly stretched canvas panels which, like the walls of a frame building, no longer carry weight but are suspended in the steel frame.

For three years this design, which was conceived for mass production, had to be executed piece by piece in a small metal shop. In 1928, Thonet took over the design and was soon manufacturing Breuer's chair in Germany and in France.

# RESILIENT TUBULAR STEEL CANTILEVER CHAIR. LUDWIG MIES VAN DER ROHE, 1926

Frame 31

Once the tensile strength of tubular steel for furniture was utilized, it was only one more step towards another, even more startling innovation-the cantilever chair. Until this time, chairs had usually touched the ground with four feetsometimes with three; in the cantilever chair an engineering principle, new to furniture, is involved: that of a projecting beam or plane supported only at one end. Modern architecture's extensive use of this principle was made possible through steel and reinforced concrete. Applying the principle to chairs, a number of architects almost simultaneously evolved a logical form: a continuous loop frame extending its front legs backward along the ground like runners of a sleigh and thus dispensing with the need for back legs. The frame's sides were then connected by panels of fabric, leather or woven cane, so that in forming seat and back their natural flexibility was added to the resilience of the steel.

1 is a complicated wave of interlaged attailers, suggesting the capability interlated in the second capability and the second capability and the second capability and the second capability of the second capability of

The base plane this design, which was conceived for more production, had to be in a worker of the interval of the second state of the second state of the executed sides by place to a small metal about in 1926. Thouse took over the executed and the second menufacturing frequents chair to derively and in France. In the shi was not the second menufacturing frequents chair to derively and in France.

RESILIENT TURNAR PUERL CARTILEVER CHAIR. INTRIO MIES VAN DER ROMS, 1996

[[parts]

8

A new the base at reach of the law of a line that is a function was attilled if and a new the base at a base at the line of the line at a line is a line to be and the line is an able of the the total a second at the line of the able of the total is a second at the line of the able of the line of the able of the line of the able of the line of the able of the line of the able of the line of the able of the line of the able of the line of the able of the line of the able of the line of the able of the line of the able of the line of the able of the line of the able of the line of the able of the line of the able of the line of the

Leave the state of the second of bedde and the second is the second of the second is a second of the second s

The Dutch architect Mart Stam in 1926 was the first to make a stiff, sharply bent chair frame which he connected with interlaced canvas strips. He did not exploit the inherent resilience of the steel frame. Gadgety American patent furniture of the eighties had touched upon the possibilities of resilience in cantilevered chairs. The principle was also known and used in the efficient seats of plows, reapers and other agricultural machines. In both instances there was no realization that, applied to furniture for the home, resilience could replace the cumbersome cushioning of upholstered pieces.

It was Mies van der Rohe, the first to discern the technical principle of the resilient cantilever, who in 1926 developed this chair whose springiness was achieved through the generous arc of its semi-circular support. The design, a continuous loop-visually one fluid, circling line-is the most direct and at the same time the most sophisticated solution for the creation of a chair. The new linear simplification, already indicated in the appearance of the "Vienna" chair (see Frame no. 16), is here carried to a logical conclusion by the elimination of every extraneous line and the limitation to two materials, steel and leather.

In certain respects this handsome design is related to the 1860 bentwood rocking chair (see Frame no. 17) by its similarly developed semi-circular supports.

TUBULAR STEEL CANTILEVER CHAIR. MARCEL BREUER, 1928.

Frame 32

Marcel Breuer gathered the elements of the cantilever chair into a design which eventually became its standard form and the best known of modern cantilever chairs (Frame no. 32)

The reason for its world wide acclaim may be the fact that in contrast to Mies' large low slung chairs, this design represented a more serviceable version. Its shape, compact and angular like that of Stam's but with greater resilience, is less space consuming than the Mies chair. Its sturdy frame terminates in two

The Dateb esthtiest Mart Stam in 1963 was the first to main a start, married best chair freme which he consented with informated cannal strippi. He did not esplort the inneroid restitience of the start frame. Cadenty American patent functions of the signates had toursed were the penalbilities of restilience in \*

P

-

1

cantiliseered claigs the principle set also incer and in the efficient methods of these, merces and other agreed to a solution. In test lastances there was no costination that, applied to further for the home, restinged could for place the indivestion dusting of epicience places.

In certait respects this bandsome doaten to related to the 100 rectmoid rothing control rothing control for the similarly developed semi-siretian supplicits.

(Prove of the second of the second seco

The reserve for the real of white arcstellar may be the fact that the contrast to Hige have for stand cinical this destruction and a core corricostic version. The empty content and constant time time of Stan's but with creater restinates to two less games constants that the Nice clair. Its sturdy frame terminates to two blunt uprights for the sake of economical production. Bolted to it are a back support and shaped seat: two wooden frames covered with woven cane. This may seem like a more complicated solution than Mies' direct application of cane or leather to the chair frame, but again its practical possibilities are greater. The unassuming shape, like the earlier "Vienna" chair, proved ideal for mass production and achieved a similar popularity and wide distribution. Its ingeniously simple design eventually served as model for the thousands of coarsened variations on which we sit today in our kitchens, dinettes, offices, terraces, stores, waiting rooms and cafeterias.

# ADJUSTABLE RECLINER. LE CORBUSIER, PIERRE JEANNERET AND CHARLOTTE PERRIAND. 1927. Frames 33-34

France's contribution to modern furniture is largely one of mobility achieved without the assistance of mechanical means. The collaboration of Le Corbusier with Jeanneret and Charlotte Perriand resulted in a number of brilliant solutions of this problem of simple flexibility.

The adjustable reclining chair (Frames 33 and 34), unconventional in looks and performance compared to the traditional couch, consists of two separate partsa straight base on whose rubber-covered cross beams rests a movable frame of tubular steel covered with canvas. This stretcher, somewhat in the shape of a reclining human figure, adheres by friction to the rubber surface of the base when pushed up or down. A furniture piece of great versatility to be used for resting, reading or conversation has been created with the help of this simple device. But beyond its usefulness, the shape, obviously the result of considerations of function, emerges as a piece of sculpture. Defined and emphasized by a long, round head pillow on one end and a sharp downward bend on the other end, the chair is a succession of tilted planes, held by the cradling arc of its curved base rail, itself balanced above a distinctly different base. Startlingly, the. chair seems also to convey an abstract formulation of one of Le Corbusier's

energes's apportanties in Achiev Survisions in Harpery and it washing and the rithers the appletages of preignical import. The collectratics of to Account with Prevents and Portform Scriently mented to a major of buildent contractor of this architector of angle fights there.

architectural principles: The lifting of the main part of a building off the ground by columns of distinctly different.character. This animated shape has become the basic type of today's reclining chairs.

REVOLVING LEATHER CHAIR. LE CORBUSIER, PIERRE JEANNERET AND CHARLOTTE PERRIAND, 1927

## Frame 35

ñ.

On the occasion of the Salon & Automne in 1929, Le Corbusier, in an article discussing the furnishings of his exhibition interior, pointed out that airplane and automobile workships had produced new techniques as well as new shapes which excited the imagination and could also be manufactured with considerable economy. He ascribed the use of metal furniture in homes as well as offices to new patterns of living leading to new informal attitudes. The abolishment of the old "salon" had suddenly reduced the number of furniture pieces in the home to built-in cases, chairs and tables. This Le Corbusier greeted as signs of a new age in furniture and illustrated it brilliantly in his interior at the Salon d'Automne. A great deal of his experimental work was executed by the Thonet workshops in Paris where, for example, an extension dining table was produced which unrolled tambour-fashion from the top of a small stationary cabinet.

This revolving leather chair (Frame no. 35) of the same period represents an attempt to modify for home use the revolving desk chair used in offices. Its appearance goes back to the beautiful bentwood arm chair of 1870 (see Frame no. 24) admired and extensively used by Le Corbusier in his houses, but its transformation is authentically of the 20th century. The crosswise arrangement of the spiderlike legs, also found at this time in many tubular metal bases for tables, and the surmounting chrome rail of the back support, form a glittering open structure on which solid shapes have been applied. The thick round leather pillow. the sausage-like semi-circle of the roll wrapped around the backrest, in their relationship to each other and to the spacious metal structure, form a rhythmical

and the state of

÷.

4

V

the sauster-like sectories of the roll wranted around the backreet, in their relationship to each other and to the sectories are sector

pattern of thin and heavy curved forms.

ADJUSTABLE LOUNGE CHAIR. ILMARI TAPIOVAARA, 1949. MOLDED PLYWOOD ARM CHAIR. JOE ADKINSON, 1952.

Frames 36-41

Recent explorations in the field of molded plywood-with which Michael Thonet experimented 120 years ago-indicate new design directions

The knock-down lounge chair (Frame no. 38) by Ilmari Tapiovaara can be completely dismantled for flat shipping. It consists of a supporting frame and a seat frame, the latter being spanned by two sheets of leather. The seat can be adjusted to three positions.

The visual separation of parts is carried even further in the arm chair (Frame no. 39) by Joe Adkinson. The molded planes of seat and back, the curved arms a base made of two reversed V-shapes, and connecting cross-bars form a complex unit. These clearly defined parts are assembled so that their repetitive forms and restated angles create a pattern which binds them together, although each appears to be independent of its neighbor.

reprint device versi las stats de arrestas

Franks adment

Recent explorations to the field of wolded plywood-with which Hiomed Thomas

experimented 120 propertient and the least directions

The approximation based there are and the lines in the second of the sec

and a second There is an and the second s There is a second sec

and the second second



